

**AAVANTIKA GAS LIMITED**  
(A JOINT VENTURE COMPANY OF GAIL & HPCL)

CITY GAS DISTRIBUTION PROJECT IN INDORE,  
UJJAIN, PITHAMPUR & GWALIOR

REQUEST FOR QUOTATION  
FOR  
PROCUREMENT OF SAFETY SHOES FOR AGL EMPLOYEES

RFQ No.: AGL/53/HSEQ/SAFETY SHOES/2024

ISSUE DATE: **03.06.2024**

Schedule of RFQ submission at AGL Head Office and other details:

**Important Dates**

Last Date & Time of Submission of RFQ	<b>18/06/2024 up to 16.00 Hrs</b>
Date & Time of Opening of Un Priced Quotation	<b>18/06/2024 up to 16.30 Hrs</b>
Date & Time of Opening of Priced Quotation	<b>Will BE Informed Later</b>

**RFQ (Pages 1 to 5) along with Annexure-1 (Specification and Other Details) and Annexure-2 (SOR):**

Prepared By :

Reviewed By :

Verified By :

**RFQ No.: AGL/53/HSEQ/SAFETY SHOES/2024**  
**RFQ FOR PROCUREMENT OF SAFETY SHOES FOR AGL**  
**EMPLOYEES**

Aavantika Gas Limited (AGL) is a Joint venture of GAIL (INDIA) Ltd. & HPCL for implementation of City Gas Distribution (CGD) projects in Indore, Ujjain, Pithampur & Gwalior cities of Madhya Pradesh. Natural Gas is distributed in the form of PNG (Piped Natural Gas) and CNG (Compressed Natural Gas) for domestic, commercial, industrial and automotive sectors.

**Sealed Quotation is sought for Procurement of Safety Shoes for as per following Terms and conditions:**

**1. SCOPE OF WORK:**

**AGL Recommended make of safety shoes : JCB- EXEC S1(Executive ISI Part-II)**

- The bidder has to submit one pair of safety shoes as a sample on a returnable basis for Inspection and Approval purposes.
- Bidder has to submit Technical specifications released by the manufacturer for the quoted shoes along with the Price Bid.
- Price bid will be opened for a Technically qualified Bidder based on Technical Specifications and Inspection & Approval of sample shoes submitted along with the Bid.
- Total Quantity of pair of shoes as per SOR is 80 Nos. and size of shoes is provided as per below table:

Sr No	Shoe Size	Total Quantity in Nos.
1.	6	5
2.	7	14
3.	8	30
4.	9	20
5.	10	11
<b>Total</b>		<b>80</b>

- Guaranty / Warranty certificate for all supplied items to be provided by the bidder.
- Deviation will not be accepted on the final product to be supplied by the successful bidder against the approved sample product.
- After verification of the received final product, if any item is found defective then the same will have to be replaced by the bidder without any additional cost implications.

**Material Specification and Other Details**

The Safety Shoes must confirm the following standards:

EN397 IS 15298(Part 2):2016

EN ISO 20345

Sl. No.	Description	Specification for JCB EXEC S1 Safety Shoes
1	Upper	Buff CG Leather
2	Sole	Double Density PU Black Outsole, Heel Shock Absorption, Oil Resistant Sole, Antistatic, Slip Resistant
3	Toecap	Steel
4	Midsole	PU
5	Lining	Mesh
6	Footbed	EVA Footbed
7	Safety category	EN ISO 20345 : 2011 & IS 15298 (Part 2): 2016
8	General & Upper	Brogue Shoe, Leather Upper, Light Weight, Breathable Upper, Lace Up & Odor Reducing
9	Lining	Textile Lining
10	In Sock	Aeration Holes to Regular Temperature & Cushion Heel & Arch Support

RFQ No.: AGL/53/HSEQ/SAFETY SHOES/2024  
RFQ FOR PROCUREMENT OF SAFETY SHOES FOR AGL  
EMPLOYEES

**2. BID EVALUATION CRITERIA:**

The Bidder must be a Manufacturer/ Authorized supplier (distributor/dealer) of the JCB make safety shoes and should have supplied at least 40 pairs of JCB make safety shoes to any reputed organisation within 05 years of the RFQ submission date.

**Documents to be Submitted:**

- Order of award & its completion certificate or invoice against the order of award.
- Authorization letter/certificate of authorized supplier (distributor/dealer)

**3. EVALUATION METHODOLOGY:**

- 3.1 Evaluation shall be done on overall lowest Basis at least cost to the Purchaser considering Input Tax Credit, if any.
- 3.2 If the quoted charges of two or more bidders are same, then bidder having higher value of submitted Work Order will be considered for award.

**4. SUBMISSION OF QUOTATION:**

**PLEASE SUBMIT YOUR MOST COMPETITIVE QUOTATION IN SEALED ENVELOPE COMPLETE WITH ABOVE DETAILS IN SCHEDULES OF RATES(SOR) ATTACHED AS ANNEXURE-1 LATEST BY 18.06.2024 UPTO 16:00 HRS.**

Quotation shall be submitted in **two parts** as under:

**ENVELOPE - 1: UN-PRICED QUOTATION: (Super - scribing Un Priced-Quotation).**

- Covering Letter with Bidder's Offer Number (Reference Number).
- BEC qualifying documents as per Clause no. 2 specified above.
- Copy of SOR with Price Blank marked as "Quoted" against all items  
(WITHOUT PRICE MARKED AS "QUOTED" ONLY).
- Sealed and Signed copy of RFQ.
- Copy of bidder's GST registration certificate & PAN Card.

**ENVELOPE - 2: PRICED QUOTATION: (Super - scribing "Priced Quotation – Not to be Opened with Un-Priced Quotation").**

- This should contain the Original copy of SOR (Annexure-1) with QUOTED prices.
- Bidder should not modify the format.

**Bidder to note that "Priced Quotation" shall be submitted in sealed separate envelope only. If Priced Quotation is submitted with Un-Priced Quotation / or in Open Condition, then their Quotation shall be liable for rejection.**

All the above are to be enclosed in a Sealed Master Envelope super scripted as – "QUOTATION – NOT TO BE OPENED" Name of the Work and Due Date and shall be submitted to –

Contracts and Procurement Department  
Aavantika Gas Limited  
202 – B, 2nd Floor, NRK Business Park,  
Vijay Nagar Square, A.B. Road,  
Indore (M.P), Pin – 452010  
Contact No. 0731-4222520

**5. DELIVERY PERIOD:**

The delivery period for procurement of Safety Shoes will be 08 weeks from the date of issuance of Purchase Order.

**RFQ No.: AGL/53/HSEQ/SAFETY SHOES/2024**  
**RFQ FOR PROCUREMENT OF SAFETY SHOES FOR AGL**  
**EMPLOYEES**

**6. PAYMENT TERMS:**

- 100% payment will be made within fifteen (15) days upon Delivery & Acceptance of material and submission of invoice duly certified by Engineer-In-Charge.
- The rates quoted should be inclusive of all charges, surcharges, taxes, duties & transportation charges etc.

**7. PRICE REDUCTION SCHEDULE (PRS):**

In supply contract/order, the portion of supply completed in all respects which can be used for commercial operation shall not be considered for applying PRS, if delivered within contractual delivery period. The remaining supplies which are completed beyond the contractual delivery shall attract the price reduction schedule @0.5% per week or part thereof of the delayed delivery value maximum up to 5% of total Order value.


In case of delay, the invoices shall be submitted after deducting the price, as above, due to delay. However, PRS shall not be applicable, in case the delay is for the reasons beyond Contractor's control, to be established by EIC (Engineer-in-charge).

**8. APPLICABILITY OF LAW & JURISDICTION:**


The RFQ shall be governed and interpreted in accordance with the applicable laws of India and Courts at Indore (Madhya Pradesh) shall be exclusive Jurisdiction.

**9. OTHER TERMS & CONDITIONS:**

- a) The offer should remain valid for 3 months from the bid due date / extended due date of tender.
- b) The prices once quoted shall not be changed whether resulting or arising out of any subsequent technical / commercial clarifications sought regarding the bid and even if any deviation or exclusion may be specifically stated in the bid.
- c) Bidder is advised to quote strictly as per scope & terms and conditions of bid document and not to stipulate any deviation / exceptions.
- d) Purchaser reserves the right to accept or reject any or all bids received at its absolute discretion without assigning any reason, whatsoever.
- e) Bids complete in all respects should reach on or before the BID DUE DATE AND TIME. Fax / Telegraphic/ E-Mail bids shall be rejected.
- f) The bid shall be liable for rejection in case of change of the proposed manufacturer after submission of bid.
- g) In absence of requisite documents requested by AGL in this Tender, AGL reserves the right to reject the bid without making any reference, what so ever, to the bidder.
- h) At any time prior to the bid due date, Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the Bid documents, by issuing corrigendum.
- i) Any corrigendum thus issued shall be part of the Bid documents and shall be notified in writing by email to all prospective bidders, who have received the Bid documents. Prospective bidders shall promptly acknowledge receipt of each corrigendum by email to the Purchaser.
- j) The Purchaser may, at its discretion, extend the bid due date in order to allow prospective bidders, a reasonable time to furnish their most competitive bid taking into account the amendments issued.
- k) Any bid received by the Purchaser after the deadline for submission of bid will be declared "Late" and rejected and may be returned unopened to the bidder at the sole discretion of the Purchaser.
- l) During evaluation of the bids, the Purchaser may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- m) The Bidder whose bid is found substantially responsive shall be invited to attend the opening of price bid. Such bidders may be required to attend the price bid opening at a short notice. The place, date and time of price bid opening will be informed to all such



RFQ No.: AGL/53/HSEQ/SAFETY SHOES/2024  
RFQ FOR PROCUREMENT OF SAFETY SHOES FOR AGL  
EMPLOYEES



Bidders. The Bidders' representatives who are present shall sign a register evidencing their attendance.

n) ARITHMETIC CORRECTIONS

- I. The bids will be checked for any arithmetical errors as follows if any, will be rectified on the following basis:
  - II. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected;
  - III. If there is a discrepancy between words and figures, the amount in words will prevail;
  - IV. If the bidder does not accept the correction of errors, its bid will be rejected and the bid security will be forfeited.
- o) Quotation received after the due date and time, are liable to be rejected. Quotations through Email / Telex / Fax / Photocopied are not acceptable.
- p) Bidders must abide to follow all statutory norms and regulations & labor laws and comply with all as applicable.
- q) Guaranty / Warranty certificate for all supplied items to be provided by the bidder.
- r) After verification of the received final product, if any item found faulty or defective than the same will have to be replaced by the bidder without any additional cost implications.

Please submit your most competitive **Quotation in Sealed Envelope** complete with above details in Schedule of Rates (SOR) attached as Annexure-1 latest by **18.06.2024 upto 16:00 Hrs.**



**SAFETY**

**EXEC S1**

**Brogue Safety footwear**

Exec is broad toe, highly comfortable classical brogue safety footwear with highest slip resistance. Thanks to its lightweight design, climate-optimized high-tech materials, and ergonomically designed out sole. Exec is the ideal companion for the wearer looking for time tested brogue design.

**BORN TOUGH  
BUILT RELIABLE**



Upper	Buff CG Leather
Sole	Double Density PU Black Outsole
Toecap	Steel
Midsole	PU
Lining	Mesh
Footbed	EVA Footbed
Safety category	EN ISO 20345 : 2011 & IS 15298 (Part 2): 2016
Sample weight	950 gm. ± 50g.   Size 8.
Size range	UK 5-12

**GENERAL & UPPER**



BROGUE SHOE



LEATHER UPPER



SUPER LIGHT WEIGHT



BREATHABLE UPPER



LACE UP



ODOR REDUCING

**TOE CAP**



STEEL TOE



WIDE TOE CAP

**LINING**



TEXTILE LINING

**IN SOCK**



AERATION HOLES TO REGULAR TEMPERATURE



CUSHION HEEL & ARCH SUPPORT

**SOLE**



BLACK OUTSOLE  
DOUBLE DENSITY



HEEL SHOCK  
ABSORPTION



FUEL OIL  
RESISTANT SOLE



ANTISTATIC



RESISTANT SOLE



SLIP RESISTANT



**SAFETY FOOTWEAR**

info@jcbfootwear.in  
www.jcbfootwear.in

INDUSTRIAL PROFESSIONAL OCCUPATIONAL

**ENGINEERED  
IN UK**



IS 15298



(PART 2)  
CM/L-4867488



## SAFETY

### EXEC S1

#### Industries:

General, Engineering, Automobile, Construction

#### Environments:

Dry environment, Extreme slippery surfaces, Uneven surfaces, upto 130° c

#### Maintenance instructions:

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator/Hair Dryer nor nearby a heat source.



Description		Measure unit	Result	IS 15298(Part 2):2016 EN ISO 20345
<b>Upper Leather</b>	Upper: Tear Strength	n/mm <sup>2</sup>	262	≥ 120
	Upper: Tensile Strength	n/mm <sup>2</sup>	26	≥ 15
	Upper: permeability to water vapor	mg/cm <sup>2</sup> /h	1.19	≥ 0.8
	Upper: water vapor coefficient	mg/cm <sup>2</sup>	17.6	≥ 15
<b>Lining</b>	<b>3D-Mesh</b>			
	Lining: permeability to water vapor	mg/cm <sup>2</sup> /h	31.1	≥ 2
	Lining: water vapor coefficient	mg/cm <sup>2</sup>	180	≥ 20
<b>Footbed</b>	<b>Footbed</b>			
	Lining: abrasion resistance	25,600 Cycles	no hole	no hole
	Footbed: abrasion resistance	cycles	450	≥ 400
<b>Outsole</b>	<b>SOLE:PU PU</b>			
	Outsole abrasion resistance (volume loss)	mm <sup>3</sup>	91	≤ 150
	Flexing resistance (30,000 cycles)	mm	no growth	≤ 4
	Upper outsole bond strength	n/mm	4.15	≥ 4.0
	Interlayer bond strength	n/mm	4.05	≥ 4.0
	Outsole slip resistance SRA: heel	friction	0.41	≥ 0.28
	Outsole slip resistance SRA: flat	friction	0.39	≥ 0.32
	Outsole slip resistance SRB: heel	friction	0.17	≥ 0.13
	Outsole slip resistance SRB: flat	friction	0.18	≥ 0.18
	Antistatic value	MegaOhm	125	0.1 - 1000
	Heel energy absorption	Joules	≥30	≥ 20
	Resistance fuel oil	%	≤ 1.6	≤ 12
<b>Toecap</b>	Hot contact at 130°C	Centigrade	No melt	No melt
	Impact resistance toecap (clearance after impact 200J)	mm	15.6	≥ 14
	Compression resistance toecap (clearance after compression 15kN)	mm	14.7	≥ 14

*Our shoes are constantly evolving, the technical data above may change. All product names and brand JCB, are registered and may not to be or reproduced in any format, without written consent from us.*